


## ROUND TUBES



SL. No.	Section No.	ØA	B	Weight kg/m
1	13422	5.60	1.20	0.045
2	13311	6.20	0.90	0.040
3	13125	6.20	1.20	0.050
4	13630	6.35	1.22	0.053
5	13176	6.35	1.50	0.062
6	13245	6.35	2.07	0.075
7	13576	7.25	1.42	0.070
8	13118	7.40	1.50	0.075
9	13286	7.75	1.00	0.057
10	13481	7.80	1.00	0.058
11	13255	8.00	1.00	0.059
12	13355	8.00	1.20	0.069
13	13036	8.00	1.27	0.072
14	13063	8.00	1.50	0.083
15	13445	8.00	2.00	0.102
16	13692	8.10	0.50	0.032
17	13149	8.30	1.45	0.084
18	13670	8.46	0.68	0.045
19	13602	8.60	0.80	0.053
20	13265	8.80	2.65	0.138
21	13208	9.00	0.53	0.038
22	13329	9.05	1.00	0.063
23	13326	9.20	0.78	0.056
24	13284	9.35	0.55	0.041
25	13209	9.35	0.64	0.048
26	13553	9.35	0.65	0.048
27	13163	9.50	1.35	0.093
28	13144	9.52	0.78	0.058
29	13003	9.52	0.92	0.067
30	13210	9.52	1.00	0.073
31	13303	9.52	1.13	0.080
32	13001	9.52	1.22	0.086
33	13002	9.52	1.63	0.109
34	13536	9.70	1.40	0.099
35	13647	9.75	2.13	0.138
36	13394	10.00	0.80	0.062
37	13524	10.00	0.82	0.064
38	13097	10.00	1.00	0.076
39	13093	10.00	1.50	0.108
40	13436	10.50	0.51	0.043
41	13381	10.50	1.70	0.127
42	13159	10.80	1.40	0.112
43	13578	11.00	0.42	0.038
44	13207	11.00	0.48	0.043
45	13488	11.00	3.00	0.204
46	13396	11.10	1.00	0.086
47	13277	11.11	1.60	0.129
48	13231	12.00	0.48	0.047
49	13181	12.00	0.55	0.054
50	13145	12.00	0.72	0.068

SL. No.	Section No.	ØA	B	Weight kg/m
51	13130	12.00	0.91	0.086
52	13128	12.00	1.00	0.093
53	13462	12.00	3.00	0.229
54	13004	12.70	0.86	0.086
55	13005	12.70	1.19	0.116
56	S5757	12.70	1.40	0.134
57	13006	12.70	1.63	0.153
58	13007	12.70	2.03	0.184
59	13058	12.70	2.20	0.196
60	13608	12.70	2.55	0.220
61	13263	13.00	1.00	0.102
62	13126	13.00	1.85	0.175
63	13664	14.00	0.87	0.097
64	13234	14.00	1.55	0.164
65	13237	14.00	3.10	0.287
66	13067	14.50	1.22	0.137
67	13211	15.00	0.54	0.066
68	13182	15.00	0.60	0.073
69	13685	15.00	1.00	0.119
70	13008	15.00	2.00	0.221
71	13267	15.00	4.75	0.413
72	13228	15.20	0.72	0.088
73	13465	15.40	3.20	0.331
74	13621	15.50	2.35	0.262
75	13727	15.50	4.25	0.406
76	S5470	15.70	3.50	0.362
77	13009	15.88	0.92	0.117
78	13212	15.88	0.96	0.121
79	13010	15.88	1.22	0.152
80	13011	15.88	1.63	0.197
81	13459	15.88	2.00	0.235
82	13012	15.88	2.38	0.272
83	13274	16.00	1.00	0.127
84	13691	16.00	1.60	0.195
85	13070	16.00	2.20	0.257
86	13124	16.00	2.75	0.309
87	S5733	16.00	3.50	0.371
88	13334	16.90	2.45	0.300
89	13232	17.00	0.56	0.078
90	13169	17.00	2.60	0.318
91	13071	17.10	2.10	0.267
92	13157	18.00	0.60	0.089
93	13492	18.00	1.30	0.184
94	13132	18.00	1.63	0.226
95	13185	18.00	2.00	0.271
96	13579	18.50	0.47	0.072
97	13213	18.50	0.51	0.078
98	13612	18.50	0.54	0.082
99	13183	18.50	0.60	0.091
100	13146	18.50	0.72	0.108
101	13643	18.50	1.00	0.148
102	13673	18.60	1.15	0.170
103	13165	19.00	1.15	0.174
104	13335	19.00	2.65	0.367
105	13257	19.05	0.82	0.127
106	13013	19.05	0.92	0.141
107	13214	19.05	0.95	0.145
108	13014	19.05	1.12	0.171

SL. No.	Section No.	ØA	B	Weight kg/m
109	13368	19.05	1.20	0.182
110	13304	19.05	1.30	0.195
111	13015	19.05	1.63	0.241
112	13016	19.05	1.70	0.249
113	13460	19.05	2.00	0.289
114	13017	19.05	2.50	0.351
115	13461	19.05	3.18	0.428
116	13645	19.50	1.50	0.229
117	13072	19.60	2.30	0.337
118	13150	19.60	2.40	0.350
119	13035	19.60	3.05	0.428
120	13347	19.80	6.20	0.715
121	13359	20.00	1.00	0.161
122	13018	20.00	1.25	0.199
123	13409	20.00	1.50	0.235
124	13113	20.00	1.63	0.254
125	13251	20.00	3.15	0.450
126	13272	21.00	5.10	0.688
127	13336	21.10	3.00	0.460
128	S4491	21.18	1.60	0.266
129	13107	21.20	2.55	0.403
130	13615	21.40	4.80	0.676
131	13073	21.50	2.50	0.403
132	13168	21.70	3.10	0.489
133	13262	22.00	0.55	0.099
134	S6350	22.00	0.75	0.135
135	13253	22.00	0.85	0.152
136	13626	22.00	1.00	0.178
137	13603	22.00	1.20	0.212
138	13562	22.00	1.25	0.220
139	13561	22.00	1.60	0.277
140	13238	22.00	4.10	0.623
141	13589	22.00	5.00	0.721
142	13019	22.22	0.88	0.159
143	13376	22.22	1.20	0.214
144	13061	22.22	1.60	0.280
145	13278	22.23	1.00	0.180
146	S4492	22.30	1.60	0.281
147	13384	23.00	1.40	0.257
148	13665	23.40	1.00	0.190
149	13108	23.70	2.85	0.504
150	13337	23.90	3.65	0.626
151	13147	24.00	0.84	0.165
152	13308	24.00	1.25	0.241
153	13133	24.00	1.63	0.309
154	13080	24.00	2.75	0.496
155	13523	25.00	1.00	0.204
156	13117	25.00	1.22	0.246
157	13034	25.00	1.50	0.299
158	13363	25.00	1.50	0.299
159	13470	25.00	1.50	0.299
160	13020	25.00	2.00	0.390
161	13566	25.00	2.00	0.390
162	13021	25.00	2.50	0.477
163	13122	25.00	4.00	0.713
164	13721	25.00	5.00	0.848
165	13378	25.00	6.45	1.015
166	13369	25.40	0.83	0.173

## ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
167	13215	25.40	0.87	0.181
168	13222	25.40	1.00	0.207
169	13305	25.40	1.06	0.219
170	13022	25.40	1.22	0.250
171	13306	25.40	1.22	0.250
172	13577	25.40	1.30	0.266
173	13023	25.40	1.60	0.323
174	13129	25.40	1.90	0.379
175	13090	25.40	3.20	0.603
176	13293	25.40	5.95	0.981
177	13444	25.91	4.63	0.836
178	13441	26.00	3.00	0.585
179	13479	26.00	3.50	0.668
180	13683	26.00	6.50	1.075
181	13641	26.67	3.17	0.633
182	13186	27.00	2.50	0.520
183	13127	27.00	3.00	0.611
184	13109	27.00	3.20	0.646
185	13318	27.00	5.50	1.003
186	13338	27.20	3.95	0.779
187	13387	27.50	1.50	0.331
188	13360	28.00	1.00	0.229
189	13401	28.00	1.60	0.358
190	13110	28.00	3.00	0.636
191	13655	28.00	3.00	0.636
192	13038	28.00	4.00	0.814
193	13705	28.00	5.35	1.028
194	13315	28.00	9.50	1.491
195	13114	28.60	1.63	0.373
196	13081	28.60	3.30	0.708
197	13429	28.70	2.28	0.511
198	13417	29.00	1.00	0.238
199	13235	29.00	2.50	0.562
200	13386	30.00	0.70	0.174
201	13260	30.00	0.77	0.191
202	13382	30.00	1.00	0.246
203	13047	30.00	1.50	0.363
204	13264	30.00	2.00	0.475
205	13379	30.00	2.30	0.540
206	13190	30.00	2.50	0.583
207	13639	30.00	4.60	0.991
208	13101	30.00	5.25	1.102
209	13171	30.00	6.65	1.318
210	13068	30.00	7.25	1.399
211	13024	30.10	1.22	0.299
212	13339	30.20	4.20	0.926
213	13628	31.00	2.25	0.549
214	13654	31.00	3.00	0.713
215	13111	31.00	3.50	0.816
216	13254	31.75	0.95	0.248
217	13229	31.75	1.05	0.273
218	13571	31.75	1.00	0.261
219	13530	31.75	1.10	0.286
220	13025	31.75	1.22	0.316
221	13026	31.75	1.63	0.416
222	13027	31.75	2.00	0.505
223	13094	31.75	3.18	0.771
224	S5560	31.80	3.15	0.766
225	13599	31.80	3.20	0.776

SL. No.	Section No.	ØA	B	Weight kg/m
226	13458	31.80	4.50	1.042
227	13707	31.90	5.10	1.159
228	13328	32.00	1.20	0.314
229	13248	32.00	1.60	0.412
230	13100	32.00	2.00	0.509
231	13598	32.00	3.00	0.738
232	13082	32.00	3.50	0.846
233	13066	32.00	4.00	0.950
234	13700	32.00	4.25	1.000
235	13375	32.00	4.50	1.050
236	13496	32.00	8.00	1.629
237	13581	32.00	10.00	1.866
238	13640	32.25	4.86	1.129
239	13591	32.80	5.80	1.328
240	13137	33.00	3.50	0.875
241	13483	33.00	6.20	1.409
242	13044	33.00	6.25	1.418
243	13570	33.30	1.10	0.300
244	13600	34.00	4.50	1.126
245	13199	34.00	5.75	1.378
246	13447	34.00	8.75	1.874
247	13736	34.25	5.25	1.291
248	13730	34.64	1.44	0.406
249	13342	34.80	4.90	1.242
250	13442	35.00	1.20	0.344
251	13393	35.00	3.00	0.814
252	13202	35.00	4.50	1.164
253	13712	35.00	5.00	1.272
254	13316	35.00	7.00	1.663
255	13633	35.00	8.50	1.911
256	S4303	35.10	3.40	0.914
257	13585	35.20	4.50	1.172
258	13706	35.40	4.90	1.268
259	13703	35.80	4.90	1.284
260	13446	35.90	4.95	1.300
261	13135	36.00	2.00	0.576
262	13103	36.00	4.00	1.085
263	13607	36.00	7.50	1.813
264	13443	36.00	8.00	1.900
265	13567	36.10	1.60	0.468
266	13250	36.50	3.00	0.852
267	S6192	37.00	4.00	1.120
268	13388	37.00	5.00	1.357
269	13083	37.50	4.25	1.198
270	13256	37.90	1.70	0.522
271	13711	38.00	1.00	0.314
272	13411	38.00	1.20	0.375
273	13091	38.00	2.00	0.611
274	13710	38.00	3.00	0.891
275	13323	38.00	5.90	1.606
276	13057	38.00	6.50	1.737
277	13385	38.00	6.75	1.789
278	13367	38.00	7.50	1.940
279	13224	38.10	1.30	0.405
280	13028	38.10	1.63	0.504
281	13029	38.10	2.00	0.612
282	13030	38.10	2.50	0.755
283	13099	38.10	7.55	1.956
284	13140	38.20	3.20	0.950

SL. No.	Section No.	ØA	B	Weight kg/m
285	S5648	38.80	9.52	2.365
286	13041	39.00	8.00	2.103
287	13606	39.00	9.00	2.290
288	13646	39.10	1.50	0.478
289	13340	39.10	5.45	1.555
290	S5658	39.80	10.03	2.532
291	13480	40.00	1.20	0.395
292	13078	40.00	1.50	0.490
293	13048	40.00	2.00	0.645
294	13152	40.00	2.50	0.795
295	13098	40.00	3.00	0.941
296	13134	40.00	4.00	1.221
297	13370	40.00	5.00	1.484
298	13507	40.00	7.00	1.959
299	13389	40.00	8.00	2.171
300	13276	40.00	11.00	2.705
301	S5702	40.00	14.00	3.088
302	13504	40.60	1.80	0.592
303	13174	41.00	5.00	1.527
304	13416	41.80	4.56	1.440
305	13649	41.80	4.56	1.440
306	13089	42.00	2.00	0.679
307	13319	42.00	7.50	2.195
308	13584	42.00	8.25	2.362
309	13412	42.00	11.50	2.975
310	S5909	42.10	4.75	1.505
311	13737	42.16	3.55	1.163
312	13419	42.16	4.85	1.535
313	13696	42.50	8.75	2.505
314	13661	42.55	4.90	1.565
315	13564	42.70	9.35	2.645
316	S5990	43.00	6.25	1.948
317	13116	43.00	7.00	2.137
318	13601	43.40	10.00	2.833
319	13468	44.00	3.00	1.043
320	13194	44.00	10.00	2.884
321	13341	44.40	6.35	2.049
322	S5441	44.45	1.60	0.582
323	13077	45.00	2.50	0.901
324	13200	45.00	4.00	1.391
325	13331	45.00	5.00	1.696
326	13487	45.00	14.00	3.681
327	13565	45.20	10.30	3.049
328	13494	45.30	10.90	3.181
329	13505	45.70	1.80	0.670
330	13084	46.00	5.00	1.738
331	13136	46.00	5.50	1.889
332	13310	46.00	6.00	2.035
333	13298	48.00	4.00	1.492
334	13138	48.00	5.00	1.823
335	13056	48.00	8.75	2.913
336	13088	48.00	9.00	2.977
337	13512	48.10	4.60	1.697
338	13667	48.10	4.75	1.747
339	13408	48.16	4.51	1.670
340	13172	48.26	3.68	1.391
341	13420	48.26	5.08	1.861
342	13510	48.30	4.00	1.503
343	13588	48.41	4.47	1.666

## ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
344	S4210	48.99	4.90	1.833
345	13597	49.90	10.75	3.570
346	13271	50.00	1.50	0.617
347	13467	50.00	2.00	0.814
348	13064	50.00	2.50	1.007
349	S5559	50.00	2.50	1.007
350	13065	50.00	3.00	1.196
351	13121	50.00	5.00	1.908
352	13327	50.00	6.00	2.239
353	13371	50.00	7.50	2.704
354	13583	50.00	10.00	3.393
355	13713	50.00	12.50	3.976
356	13131	50.20	3.10	1.238
357	13031	50.80	1.63	0.680
358	13506	50.80	1.80	0.748
359	13032	50.80	2.03	0.840
360	13033	50.80	2.50	1.024
361	13414	50.80	3.00	1.216
362	13282	50.80	6.35	2.400
363	13112	51.00	6.00	2.290
364	S3923	51.80	3.65	1.491
365	13042	52.00	7.00	2.672
366	13037	52.00	9.50	3.425
367	13437	54.00	1.60	0.711
368	13672	54.00	8.75	3.358
369	13170	54.00	10.00	3.732
370	13268	55.00	2.50	1.113
371	13398	55.80	7.35	3.021
372	13632	56.00	5.50	2.356
373	13556	56.80	14.40	5.179
374	13674	56.86	5.09	2.235
375	13085	57.00	6.75	2.877
376	13652	57.00	7.50	3.149
377	13549	57.00	18.00	5.955
378	13049	57.60	2.90	1.346
379	13682	57.80	16.90	5.863
380	13372	58.80	11.50	4.614
381	13062	59.50	4.50	2.099
382	13075	60.00	2.00	0.984
383	13395	60.00	2.50	1.219
384	13196	60.00	10.00	4.241
385	S5647	60.00	12.00	4.886
386	13438	60.00	20.00	6.786
387	13218	60.32	3.91	1.870
388	13525	60.33	5.28	2.468
389	13236	60.33	5.54	2.575
390	13653	61.00	8.00	3.596
391	13239	62.00	6.37	3.005
392	13050	63.00	1.60	0.833
393	13526	63.00	2.00	1.035
394	13453	63.00	3.00	1.527
395	13404	63.00	4.00	2.002
396	13397	63.00	9.00	4.122
397	13059	63.50	3.18	1.627
398	13625	63.50	6.00	2.926
399	13139	63.50	7.00	3.354
400	S5991	63.50	9.55	4.370
401	13448	64.00	6.00	2.952
402	13671	64.00	8.25	3.901

SL. No.	Section No.	ØA	B	Weight kg/m
403	13175	65.00	1.00	0.542
404	S5660	65.00	6.00	3.003
405	13119	66.00	6.00	3.053
406	13241	66.20	3.05	1.633
407	13046	69.35	3.18	1.782
408	13166	69.50	12.50	6.043
409	13695	70.00	2.00	1.154
410	13620	70.00	4.00	2.239
411	13508	70.00	5.00	2.757
412	S5944	70.00	15.00	6.998
413	13040	70.00	17.50	7.793
414	13614	70.00	25.00	9.543
415	13451	70.50	19.75	8.502
416	13690	72.00	2.50	1.474
417	13299	72.00	12.00	6.107
418	13704	73.00	9.00	4.886
419	13153	73.03	5.16	2.970
420	13086	73.03	7.00	3.920
421	13233	75.00	3.00	1.832
422	13193	75.00	18.00	8.702
423	13269	76.00	2.50	1.559
424	13115	76.00	7.00	4.096
425	13187	76.10	4.50	2.732
426	13225	76.20	1.30	0.825
427	13723	76.20	1.45	0.919
428	13259	76.20	1.60	1.012
429	13658	76.20	2.00	1.259
430	13141	76.20	3.18	1.970
431	13281	76.20	6.35	3.762
432	13051	76.20	9.50	5.375
433	13624	76.20	10.00	5.615
434	13722	76.20	12.70	6.841
435	13498	76.50	23.50	10.565
436	13719	76.50	27.75	11.475
437	13471	78.18	4.00	2.517
438	13217	80.00	2.50	1.643
439	13569	80.00	3.00	1.959
440	13120	80.00	4.00	2.579
441	13349	80.00	5.00	3.180
442	13191	80.00	6.00	3.766
443	13391	80.00	8.00	4.886
444	13734	80.00	10.00	5.938
445	S5727	80.00	10.00	5.938
446	13515	80.00	11.50	6.682
447	13164	80.00	15.00	8.270
448	13744	80.00	15.00	8.270
449	13742	80.00	20.00	10.179
450	13725	80.00	21.00	10.509
451	13324	80.00	25.00	11.663
452	13527	80.20	2.00	1.327
453	13216	82.00	7.00	4.453
454	13261	82.00	21.50	11.033
455	13092	82.55	3.20	2.154
456	13313	85.00	1.30	0.922
457	S6147	85.00	27.50	13.413
458	13189	86.00	8.00	5.293
459	13045	86.35	3.18	2.243
460	13714	88.00	2.00	1.459
461	13715	88.00	3.00	2.163

SL. No.	Section No.	ØA	B	Weight kg/m
462	13154	88.90	4.05	2.915
463	13106	88.90	5.36	3.798
464	13430	88.90	5.49	3.884
465	13142	88.90	6.35	4.446
466	13295	88.90	7.62	5.253
467	13617	88.90	7.62	5.254
468	13637	88.90	7.62	5.254
469	13493	88.90	9.52	6.410
470	S6275	89.00	10.00	6.701
471	13698	90.00	1.70	1.273
472	13613	90.00	2.50	1.856
473	13162	90.00	3.50	2.568
474	13074	90.00	4.00	2.918
475	S5883	90.00	15.00	9.543
476	13055	90.00	17.50	10.762
477	13192	91.80	3.30	2.477
478	13720	92.00	10.00	6.955
479	13611	92.00	14.50	9.532
480	13552	92.00	22.00	13.063
481	S6195	92.00	36.25	17.142
482	13582	92.10	6.27	4.568
483	13728	95.00	2.50	1.962
484	13500	95.25	12.70	8.893
485	13204	96.00	11.50	8.243
486	13179	96.00	19.50	12.653
487	13320	96.50	5.00	3.880
488	13198	96.50	10.00	7.337
489	13592	96.50	25.00	15.162
490	13423	98.00	4.00	3.189
491	13258	98.00	26.00	15.878
492	13716	100.00	2.50	2.068
493	13095	100.00	3.20	2.627
494	13242	100.00	4.00	3.257
495	13540	100.00	5.00	4.029
496	13520	100.00	6.00	4.784
497	13252	100.00	8.00	6.243
498	13729	100.00	15.00	10.815
499	13743	100.00	15.00	10.815
500	S6102	100.00	16.00	11.400
501	13732	100.00	20.00	13.572
502	13659	101.60	2.30	1.937
503	13219	101.60	3.20	2.671
504	13069	101.60	5.74	4.667
505	13296	101.60	8.08	6.409
506	13407	101.60	10.00	7.770
507	13495	101.60	19.05	13.339
508	13322	102.00	12.00	9.160
509	13521	105.00	2.50	2.174
510	13604	105.15	1.90	1.664
511	13666	106.00	3.70	3.211
512	13151	108.00	3.00	2.672
513	13344	109.00	2.00	1.815
514	13455	110.00	5.00	4.453
515	S6003	110.00	10.00	8.842
516	13668	110.00	15.00	12.087
517	13178	112.00	11.50	9.803
518	13491	113.50	7.20	6.492
519	13605	113.54	2.04	1.925
520	13638	114.20	8.51	7.629

## ROUND TUBES

SL. No.	Section No.	ØA	B	Weight kg/m
521	13678	114.30	6.02	5.529
522	13158	114.30	6.35	5.814
523	13330	114.30	8.56	7.678
524	13618	114.30	8.56	7.678
525	13076	114.50	4.50	4.199
526	13490	114.50	5.50	5.085
527	13380	117.70	11.75	10.560
528	13345	118.00	2.00	1.967
529	13348	120.00	1.50	1.507
530	13548	120.00	3.00	2.977
531	S6158	120.00	3.50	3.459
532	13593	120.00	5.00	4.877
533	13586	120.00	8.00	7.600
534	13657	120.00	10.00	9.331
535	13662	120.00	12.00	10.993
536	13616	120.00	12.00	10.993
537	13709	120.00	13.00	11.779
538	13684	120.00	15.00	13.360
539	13733	120.00	17.50	15.215
540	13735	120.00	17.50	15.215
541	13366	120.65	6.35	6.156
542	13686	121.00	30.50	23.413
543	13399	122.00	23.50	19.634
544	13541	122.50	30.00	23.538
545	13533	125.00	2.00	2.087
546	13173	125.00	6.50	6.533
547	13413	125.00	12.00	11.502
548	S6040	125.00	15.00	13.996
549	13052	125.00	20.00	17.813
550	13697	126.50	24.25	21.032
551	13321	127.00	3.50	3.666
552	S5409	128.00	39.50	29.652
553	13201	130.00	7.50	7.793
554	13390	130.00	9.00	9.237
555	13609	130.00	12.00	12.011
556	13595	130.00	25.00	22.266
557	13450	130.00	28.50	24.537
558	13610	130.00	33.50	27.421
559	13454	132.00	5.00	5.386
560	13542	133.00	4.00	4.377
561	13517	133.00	28.00	24.938
562	13374	135.00	32.50	28.257
563	13301	136.00	16.50	16.725
564	13283	137.00	26.00	24.480
565	13392	139.70	7.35	8.251
566	13405	140.00	4.00	4.614
567	S6304	140.00	8.00	8.957
568	13432	140.00	9.00	10.001
569	13424	140.00	10.50	11.534
570	13587	140.00	17.50	18.184
571	13687	140.00	24.00	23.615
572	13477	141.30	9.53	10.652
573	13699	141.30	9.53	10.652
574	13731	141.50	23.25	23.320
575	13279	143.00	6.00	6.972
576	13439	143.00	29.00	28.042
577	13457	144.00	35.25	32.516
578	13357	145.00	7.50	8.747
579	13244	145.00	32.50	31.013

SL. No.	Section No.	ØA	B	Weight kg/m
580	13534	146.00	17.50	19.075
581	13426	147.00	4.50	5.439
582	13361	150.00	2.00	2.511
583	13717	150.00	2.80	3.496
584	13509	150.00	5.00	6.150
585	13644	150.00	6.50	7.912
586	13501	150.00	13.60	15.735
587	13476	152.00	10.00	12.045
588	13400	152.00	31.00	31.817
589	13499	153.00	22.50	24.906
590	13484	153.50	13.25	15.763
591	13547	153.60	44.00	40.905
592	13406	154.00	4.00	5.089
593	13563	154.00	5.00	6.319
594	13522	155.00	2.50	3.234
595	13373	155.00	16.00	18.865
596	13663	155.00	30.50	32.209
597	13594	156.00	8.00	10.043
598	13456	156.00	29.50	31.654
599	13543	158.00	4.00	5.225
600	13246	159.00	4.50	5.897
601	13123	160.00	5.50	7.208
602	13440	160.00	5.50	7.208
603	13428	160.00	6.00	7.838
604	13402	160.00	8.00	10.314
605	13688	160.00	11.00	13.902
606	13511	160.00	13.00	16.210
607	13559	160.00	25.50	29.092
608	13529	160.00	35.00	37.110
609	13528	160.40	4.00	5.307
610	13249	162.00	11.00	14.089
611	13718	163.00	6.00	7.990
612	13538	165.00	4.50	6.126
613	S5668	165.00	10.00	13.148
614	13474	165.00	44.50	45.484
615	13724	165.10	25.40	30.098
616	13702	167.00	6.00	8.194
617	13351	168.00	4.50	6.240
618	13415	168.00	7.50	10.210
619	13648	168.00	9.00	12.138
620	13518	168.00	25.00	30.324
621	13726	168.28	7.11	9.720
622	13660	168.30	3.50	4.893
623	13502	168.30	10.97	14.640
624	13544	169.00	4.50	6.279
625	13550	170.00	5.00	6.998
626	13675	170.00	8.50	11.644
627	13290	172.00	10.00	13.741
628	13287	172.00	17.00	22.350
629	13537	173.00	19.00	24.819
630	13285	173.00	24.00	30.333
631	13161	173.80	6.40	9.087
632	13650	170.00	8.00	10.993
633	13425	175.00	15.00	20.358
634	13573	175.00	22.50	29.105
635	S6001	176.00	3.00	4.402
636	S6135	176.00	3.00	4.402
637	13289	177.80	12.70	17.785
638	13701	178.00	8.00	11.536

SL. No.	Section No.	ØA	B	Weight kg/m
580	13516	178.00	20.50	27.387
581	13433	180.00	6.50	9.566
582	13275	180.00	15.00	20.993
583	13352	184.00	4.50	6.851
584	13356	184.50	6.00	9.084
585	13535	185.00	11.00	16.235
586	13247	190.00	5.00	7.846
587	13560	190.00	9.00	13.818
588	13627	192.00	42.50	53.894
589	13503	195.00	13.50	20.784
590	13350	195.00	17.50	26.348
591	13680	195.00	20.00	29.688
592	13629	195.00	23.00	33.556
593	13354	195.00	25.00	36.050
594	13452	195.00	29.50	41.413
595	S5669	196.00	10.50	16.521
596	S6234	197.00	4.00	6.548
597	13677	197.00	31.00	43.650
598	13353	200.00	4.50	7.462
599	13631	200.00	5.00	8.270
600	13693	200.00	6.00	9.873
601	13403	200.00	8.00	13.029
602	13622	200.00	10.00	16.116
603	13497	202.00	9.53	15.559
604	13472	202.00	18.50	28.795
605	13623	203.20	6.35	10.603
606	13539	205.00	5.00	8.482
607	13280	205.00	27.00	40.765
608	13418	206.00	8.50	14.240
609	13464	207.00	28.50	43.152
610	13545	210.00	5.00	8.694
611	13557	210.00	5.00	8.694
612	13513	210.00	15.00	24.811
613	13740	214.00	9.00	15.650
614	13575	219.30	4.20	7.663
615	13519	220.00	6.50	11.771
616	13590	220.00	8.00	14.386
617	13580	220.00	9.50	16.962
618	13642	220.00	10.00	17.813
619	13532	220.00	17.50	30.059
620	13619	224.00	11.00	19.874
621	13478	225.00	5.00	9.331
622	13434	225.00	6.50	12.047
623	13572	225.00	20.00	34.777
624	13475	226.00	11.00	20.061
625	13656	226.00	42.00	65.551
626	13596	227.00	12.50	22.743
627	13676	229.00	24.00	41.733
628	13551	230.00	5.00	9.543
629	13636	230.00	25.00	43.472
630	13635	230.00	28.00	47.976
631	13679	230.00	13.00	23.929
632	13568	234.00	27.00	47.408
633	13410	235.00	8.00	15.404
634	13741	235.00	9.00	17.253
635	13463	242.00	19.50	36.803
636	13574	245.00	35.00	62.345
637	13738	246.00	20.00	38.340
638	13651	246.00	30.00	54.965

**ROUND TUBES & IRRIGATION TUBES**

Sl. No.	Section No.	ØA	B	Weight kg/m
639	13482	250.00	5.00	10.391
640	13694	250.00	8.00	16.422
641	13669	252.00	11.00	22.487
642	13473	252.00	17.00	33.887
643	13555	252.00	17.00	33.887
644	13546	260.00	5.00	10.815
645	13708	262.00	6.00	13.029
646	13558	270.00	5.00	11.239
647	13514	270.00	14.00	30.401
648	13431	271.00	8.00	17.847
649	13681	275.00	5.00	11.451
650	13435	275.00	7.50	17.018
651	13689	279.40	15.88	35.496
652	13634	282.00	8.50	19.719
653	13554	290.00	5.00	12.087
654	S5729	300.00	10.00	24.599
655	13739	300.00	12.70	30.949
656	S6305	300.00	30.00	68.707